

DATA SHEET (VER.03/06.2012)



1. Name

Tacker

2. Product Specification and Applications

Tacker is a tool for quick and easy mounting clips and laying underfloor heating pipe in polystyrene insulation. By replacing the manual installation of underfloor heating staples provides increased comfort and accelerates the speed of the installer.

3. Product Code

Tacker Tape	Product Code
Aluminium Tacker	9-1200-000-00-35-03
Long Aluminium Tacker	9-1200-000-26-35-03
Aluminium Tacker with a stand	9-1201-000-00-35-03
Plastic Tacker	9-1230-000-00-02-10

4. Logistic Data

Product Code	Individual Packing			Pallet 1,6m		Pallet 2,0m	
	Quantity per box	Dimensions [mm]	Weight [kg]	Quantity per pallet	Weight [kg]	Quantity per pallet	Weight [kg]
Aluminium Tacker	1	950x200x85	2,2	60	152	100	240
Long Aluminium Tacker	1	950x200x85	2,4	60	164	100	260
Aluminium Tacker with a stand	1	950x200x85	2,3	60	158	100	250
Plastic Tacker	1	915x235x85	1,6	60	116	100	180

5. Construction and materials

Solid Tacker construction is based on high-quality materials: aluminum and plastics. They make it possible to combine high strength, durability and light weight tool.

Tacker type	equipment						
	Handle	Handle Fence	cover	Staples Slide	Body	Extender	Stand
Aluminium Tacker	√	√	-	√	√	√	-
Long Aluminium Tacker	√	√	-	√	√	√	-
Aluminium Tacker with a stand	√	√	-	√	√	√	√
Plastic Tacker	√	√	√	√	√	√	-

Tacker type	Fabric						
	Handle	Handle Fence	cover	Staples Slide	Body	Extender	Stand
Aluminium Tacker	polypropylene	Aluminium	-	Aluminium	Aluminium	Steel	-
Long Aluminium Tacker	polypropylene	Aluminium	-	Aluminium	Aluminium	Steel	-
Aluminium Tacker with a stand	polypropylene	Aluminium	-	Aluminium	Aluminium	Steel	Steel
Plastic Tacker	polypropylene	Aluminium	polycarbonate	Glass fiber reinforced polyamide	Glass fiber reinforced polyamide	Steel	-

6. Specification

Packing	Height A [mm]	Depth B [mm]	Width C [mm]	Support of clips [mm]	Minimum thickness of insulation [mm]
Aluminium Tacker	810	160	80	40	25
				50	30
				57	50
Long Aluminium Tacker	1000	160	80	40	25
				50	30
				57	50
Aluminium Tacker with a stand	810	160	80	40	25
				50	30
				57	50
Plastic Tacker	920	190	85	40	25
				50	30

7. Benefits

- Tacker device is lightweight and ergonomically adapted to the human figure, therefore significantly improves efficiency and comfort of work
- Precision engineered provides accurate and stable mounting staples
- Solid construction and high quality materials used in the production of Tacker ensure its longevity and resistance to damage

8. Guarantees

During installation observe the safety rules contained in the regulations and building standards. Capricorn Sp. of o.o. which produces a tool designed for installation of radiant heating and cooling gives the implied warranties from the date of purchase under the following conditions:

- Use of the product for its intended purpose
- Proper storage
- Protection against mechanical damage during transportation, loading, unloading and storage
- No direct exposure to moisture

9. Manufacturer

Capricorn S.A.

58-160 Świebodzice, Ciernie 11

tel./fax +48/74/854 05 16

www.capricorn.pl

e-mail: capricorn@capricorn.pl

The products, photographs, drawings, diagrams and descriptions set out in this document are subject to change by Capricorn S.A. without notice and without stating reasons. For the latest news on our products and launches, visit our website at www.capricorn.pl.